

**NAME**

kpsetool – script to make teTeX-style **kpsetool**, **kpsexpand**, and **kpsepath** available

**SYNOPSIS**

**kpsetool** [ *OPTIONS...* ] *COMMAND*

**kpsexpand** [ *OPTIONS...* ] *STRING*

**kpsepath** [ *OPTIONS...* ] *PATHTYPE*

**DESCRIPTION**

**kpsetool** is a Bourne shell script that makes a teTeX-style **kpsetool**, **kpsexpand**, and **kpsepath** available. **kpsetool** uses **web2c**'s (new) **kpsexpand** binary, so the syntax for **kpsexpand** is incompatible with teTeX's as of version 0.4.

**OPTIONS**

**-m** *mode*

set Metafont mode

**-n** *progrname*

pretend to be *progrname* to kpathsea

**-p** act like **kpsepath**(1)

**-v** act like **kpsexpand**(1)

**-w** act like **kpsewhich**(1)

**USAGE**

*PATHTYPE* can be

**base** Metafont memory dump

**bib** BibTeX bibliography source

**bst** BibTeX style files

**cnf** Kpathsea runtime configuration files

**dvips\_config**

dvips config files

**dvips\_header**

dvips header files

**fmt** TeX memory dump

**gf** generic font bitmap

**mem** MetaPost memory dump

**mf** Metafont source

**mfpool** Metafont program strings

**mp** MetaPost source

**mppool**

MetaPost program strings

**mpsupport**

MetaPost support files

**pict** Other kinds of figures  
**pk** packed bitmap font  
**tex** TeX source  
**texpool**  
TeX program strings  
**tfm** TeX font metrics  
**troff\_font**  
troff fonts  
**vf** virtual font

## SEE ALSO

**kpsewhich**(1)

*Kpathsea: A library for path searching* (info or DVI file)

Web page: <<http://tug.org/teTeX/>>

## BUGS

Email bug reports to <<https://lists.tug.org/tex-k>> (public mailing list).

## AUTHOR

**kpsetool** was written by Thomas Esser in March, 1997. **kpsetool** is in the public domain.

This manual page was written by C.M. Connelly for the Debian GNU/Linux system. It is now maintained as part of TeX Live.