

NAME

mtxrun - ConTeXt TDS Runner Tool

SYNOPSIS

mtxrun [*OPTIONS ...*] [*FILENAMES*]

DESCRIPTION

ConTeXt TDS Runner Tool

OPTIONS**--script**

run an mtx script (lua preferred method) (--noquotes), no script gives list

--evaluate

run code passed on the commandline (between quotes) (=loop) (exit|quit aborts)

--execute

run a script or program (texmfstart method) (--noquotes)

--resolve

resolve prefixed arguments

--ctxlua

run internally (using preloaded libs)

--internal

run script using built in libraries (same as --ctxlua)

--locate

locate given filename in database (default) or system (--first --all --detail)

--tree=pathtotree

use given texmf tree (default file: setuptex.tmf)

--path=runpath

go to given path before execution

--ifchanged=filename

only execute when given file has changed (md checksum)

--iftouched=old,new

only execute when given file has changed (time stamp)

--makestubs

create stubs for (context related) scripts

--removestubs

remove stubs (context related) scripts

--stubpath=binpath

paths where stubs will be written

--windows

create windows (mswin) stubs

--unix create unix (linux) stubs**--addbinarypath**

prepend the (found) binarypath to runners

- verbose**
give a bit more info
- trackers=list**
enable given trackers
- progname=str**
format or backend
- systeminfo=str**
show current operating system, processor, etc
- edit** launch editor with found file
- launch**
launch files like manuals, assumes os support (--all,--list)
- timedrun**
run a script and time its run
- autogenerate**
regenerate databases if needed (handy when used to run context in an editor)
- usekpse**
use kpse as fallback (when no mkiv and cache installed, often slower)
- forcekpse**
force using kpse (handy when no mkiv and cache installed but less functionality)
- prefixes**
show supported prefixes
- generate**
generate file database
- variables**
show configuration variables
- configurations**
show configuration order
- directives**
show (known) directives
- trackers**
show (known) trackers
- experiments**
show (known) experiments
- expand-braces**
expand complex variable
- resolve-path**
expand variable (completely resolve paths)
- expand-path**
expand variable (resolve paths)

- expand-var**
expand variable (resolve references)
- show-path**
show path expansion of ...
- var-value**
report value of variable
- find-file**
report file location
- find-path**
report path of file
- pattern=string**
filter variables

AUTHOR

More information about ConTeXt and the tools that come with it can be found at:

maillist: ntg-context@ntg.nl / <http://www.ntg.nl/mailman/listinfo/ntg-context>

webpage: <http://www.pragma-ade.nl> / <http://tex.aanhet.net>

wiki: <http://contextgarden.net>