

The Future of Open Science arXiv's role in making research accessible

Norbert Preining (for the arXiv Team)

arXiv / Cornell University

TeX User Group Meeting 2024, July 2024, Prague, Czechia

What is arXiv?

arXiv is a free distribution service and an open-access archive for nearly 2.4 million scholarly articles in the fields of physics, mathematics, computer science, quantitative biology, quantitative finance, statistics, electrical engineering and systems science, and economics. Materials on this site are not peer-reviewed by arXiv.

Subject search and browse:Physics

arXiv News

Stay up to date with what is happening at arXiv on our blog.

Latest news

Physics

- **Astrophysics** ([astro-ph new](#), [recent](#), [search](#))
includes:Astrophysics of Galaxies; Cosmology and Nongalactic Astrophysics; Earth and Planetary Astrophysics; High Energy Astrophysical Phenomena; Instrumentation and Methods for Astrophysics; Solar and Stellar Astrophysics
- **Condensed Matter** ([cond-mat new](#), [recent](#), [search](#))
includes:Disordered Systems and Neural Networks; Materials Science; Mesoscale and Nanoscale Physics; Other Condensed Matter; Quantum Gases; Soft Condensed Matter; Statistical Mechanics; Strongly Correlated Electrons; Superconductivity
- **General Relativity and Quantum Cosmology** ([gr-qc new](#), [recent](#), [search](#))
- **High Energy Physics - Experiment** ([hep-ex new](#), [recent](#), [search](#))
- **High Energy Physics - Lattice** ([hep-lat new](#), [recent](#), [search](#))
- **High Energy Physics - Phenomenology** ([hep-ph new](#), [recent](#), [search](#))
- **High Energy Physics - Theory** ([hep-th new](#), [recent](#), [search](#))
- **Mathematical Physics** ([math-ph new](#), [recent](#), [search](#))
- **Nonlinear Sciences** ([nlin new](#), [recent](#), [search](#))
includes:Adaptation and Self-Organizing Systems; Cellular Automata and Lattice Gases; Chaotic Dynamics; Exactly Solvable and Integrable Systems; Pattern Formation and Solitons
- **Nuclear Experiment** ([nucl-ex new](#), [recent](#), [search](#))
- **Nuclear Theory** ([nucl-th new](#), [recent](#), [search](#))
- **Physics** ([physics new](#), [recent](#), [search](#))
includes:Accelerator Physics; Applied Physics; Atmospheric and Oceanic Physics; Atomic and Molecular Clusters; Atomic Physics; Biological Physics; Chemical Physics; Classical Physics; Computational Physics; Data Analysis, Statistics and Probability; Fluid Dynamics; General Physics; Geophysics; History and Philosophy of Physics; Instrumentation and Detectors; Medical Physics; Optics; Physics and Society; Physics Education; Plasma Physics; Popular Physics; Space Physics
- **Quantum Physics** ([quant-ph new](#), [recent](#), [search](#))

Mathematics

- **Mathematics** ([math new](#), [recent](#), [search](#))
includes: (see detailed description):Algebraic Geometry; Algebraic Topology; Analysis of PDEs; Category Theory; Classical Analysis and ODEs; Combinatorics; Commutative Algebra; Complex Variables; Differential Geometry; Dynamical Systems; Functional Analysis; General Mathematics; General Topology; Geometric Topology; Group Theory; History and Overview; Information Theory; K-Theory and Homology; Logic; Mathematical Physics; Metric Geometry; Number Theory; Numerical Analysis; Operator Algebras; Optimization and Control; Probability; Quantum Algebra; Representation Theory; Rings and Algebras; Spectral Theory; Statistics Theory; Symplectic Geometry


Computer Science

- **Computing Research Repository** ([CoRR new](#), [recent](#), [search](#))
includes: (see detailed description):Artificial Intelligence; Computation and Language; Computational Complexity; Computational Engineering, Finance, and Science; Computational Geometry; Computer Science and Game Theory; Computer Vision and Pattern

What is arXiv



- ▶ arXiv (arxiv.org) is the world's oldest and largest scientific preprint server
- ▶ Started in 1991
- ▶ Presently housing nearly 2.4 million articles
- ▶ Accelerating growth



- ▶ Examples for cutting edge research **first** made available on arXiv:
 - ▶ LLM research (OpenAI, Deepmind, etc.)
 - ▶ LIGO (Gravity wave research; 2017 Nobel Prize in physics)
 - ▶ Proofs of famous theorems (Grigori Perelman)
- ▶ While most papers posted to arXiv are eventually published in journals, in some fields research is often made available only on arXiv
- ▶ And even for work subsequently published in journals, early posting to arXiv enables scientists to more rapidly incorporate shared results, and assert prior authorship

arXiv tries to be as “open” as possible:

arXiv tries to be as “open” as possible:

Open Science

arXiv tries to be as “open” as possible:

Open Science

Open Source

arXiv tries to be as “open” as possible:

Open Science

Open Source

“Open Access”

Improving accessibility – mostly today’s topic

No paywall – open access to all articles

Sources of most articles are available (about 90%)

Thanks to Paul Ginsparg et al. for insisting from the start in 1991 that scientists submit the source code for their papers!

$\text{T}_{\text{E}}\text{X}$ Live <https://tug.org/texlive>

Type setting system $\text{T}_{\text{E}}\text{X}$ and $\text{L}_{\text{A}}\text{T}_{\text{E}}\text{X}$ – converts text files (`.tex`) to PDF
Tight integration into the submission process

$\text{L}_{\text{A}}\text{T}_{\text{E}}\text{X}$ ML <https://math.nist.gov/~BMiller/LaTeXML/>

Converts same text files to HTML
(more on this later)

AutoT_EX

old Perl version, available on CPAN, not actively maintained anymore

T_EX to PDF converter docker application

Based on T_EX Live, soon to be published

W3C WAI guidelines

Good progress in making <https://arxiv.org> accessible according to W3C WAI guidelines

Is this real accessibility?

W3C WAI guidelines

Good progress in making <https://arxiv.org> accessible according to W3C WAI guidelines

Is this real accessibility?

While this allows people with disabilities to more easily access papers, they often cannot read the papers themselves!

Because arXiv's papers are available almost exclusively in PDF format, which is not, in general, accessible.

ON P-NP EITHER FALSE OR INDEPENDENT OF ZFC

S. GILL WILLIAMSON

ABSTRACT. Our main result, Theorem 3.3, uses Friedman's Jump Free Theorem, Theorem 2.2, which he has shown to be independent of ZFC, the usual axioms of set theory [Fri97]. We conjecture that Theorem 3.3, a straight forward translation of the statement of Theorem 2.2 into sets and functions, is also independent of ZFC as is its immediate Corollary 3.4. It is easy to show that a proof that $P = NP$ will prove Corollary 3.4. If Corollary 3.4 is in fact independent of ZFC then a ZFC proof of $P = NP$ is impossible and, in fact, $P = NP$ is itself independent of ZFC (or perhaps false).

1. INTRODUCTION

Reference [Fri98] presented for the first time numerous examples of statements in discrete and finite mathematics which are proved using large cardinals and shown to require them. Reference [Fri97] evolved from a seminar presented at UCSD (University of California San Diego) by Friedman and subsequent discussions. This latter work has inspired the studies of combinatorial structures cited in the references at the end of this paper. The paper in the Journal of Combinatorics [Wil17c] describes connections between combinatorics, ZFC independence and the subset sum problem. An exposition of how this connection is made is given in [Wil17d]. An alternative approach is presented in this short note.

2. BASIC DEFINITIONS AND THEOREMS

\mathbb{Z} denotes the integers and N the nonnegative integers. For $x = (n_1, \dots, n_k) \in N^k$, $\max\{n_i \mid i = 1, \dots, k\}$ is denoted by $\max(x)$. Define $\min(x)$ similarly.

Definition 2.1 (Cubes and Cartesian powers in N^k). The set $E_1 \times \dots \times E_k$, where $E_i \subset N$, $|E_i| = p$, $i = 1, \dots, k$, is called a k -cube of length p . If $E_i = E$, $i = 1, \dots, k$, then this cube is E^k , the k th Cartesian power of E .

Definition 2.2 (Order equivalent k -tuples). Two k -tuples, $x = (n_1, \dots, n_k)$ and $y = (m_1, \dots, m_k)$, are *order equivalent tuples* (x *o.e.* y) if the following holds:

Computer Science and Engineering, University of California San Diego; <http://cseweb.ucsd.edu/~gillU/> or search 's gill williamson home' **Keywords:** ZFC independence, P equals NP, ZFC Linho regressive regularity, subset sum problem, Jump Free Theorem.

ON P-NP EITHER FALSE OR INDEPENDENT OF ZFC

S. GILL WILLIAMSON

ABSTRACT. Our main result, Theorem 3.3, uses Friedman's Jump Free Theorem, Theorem 2.7, which he has shown to be independent of ZFC, the usual axioms of set theory [Fri97]. We conjecture that Theorem 3.3, a straight forward translation of the statement of Theorem 2.7 into sets and functions, is also independent of ZFC as is its immediate Corollary 3.4. It is easy to show that a proof that $P = NP$ will prove Corollary 3.4. If Corollary 3.4 is in fact independent of ZFC then a ZFC proof of $P = NP$ is impossible and, in fact, $P = NP$ is itself independent of ZFC (or perhaps false).

1. INTRODUCTION

Reference [Fri98] presented for the first time numerous examples of statements in discrete and finite mathematics which are proved using large cardinals and shown to require them. Reference [Fri97] evolved from a seminar presented at UCSD (University of California San Diego) by Friedman and subsequent discussions. This latter work has inspired the studies of combinatorial structures cited in the references at the end of this paper. The paper in the Journal of Combinatorics [Wil17c] describes connections between combinatorics, ZFC independence and the subset sum problem. An exposition of how this connection is made is given in [Wil17d]. An alternative approach is presented in this short note.

2. BASIC DEFINITIONS AND THEOREMS

\mathbb{Z} denotes the integers and \mathbb{N} the nonnegative integers. For $x = (n_1, \dots, n_k) \in \mathbb{N}^k$, $\max\{n_i \mid i = 1, \dots, k\}$ is denoted by $\max(x)$. Define $\min(x)$ similarly.

Definition 2.1 (Cubes and Cartesian powers in \mathbb{N}^k). The set $E_1 \times \dots \times E_k$, where $E_i \subset \mathbb{N}$, $|E_i| = p$, $i = 1, \dots, k$, is called a k -cube of length p . If $E_i = E$, $i = 1, \dots, k$, then this cube is E^k , the k th Cartesian power of E .

Definition 2.2 (Order equivalent k -tuples). Two k -tuples, $x = (n_1, \dots, n_k)$ and $y = (m_1, \dots, m_k)$, are *order equivalent tuples* (x or y) if the following holds:

Computer Science and Engineering, University of California San Diego; <http://cseweb.ucsd.edu/~gill/> or search "s gill williamson home" **Keywords:** ZFC independence, P equals NP, ZFC Liarho regressive regularity, subset sum problem, Jump Free Theorem.

- ▶ digital representation of a page
- ▶ mismatch between paper geometry and screen layout
- ▶ zooming in often requires horizontal scrolling
- ▶ no responsive design (“Liquid Mode” by Adobe is mobile-only, proprietary, ...)
- ▶ improvements in layout and reflow would help everyone

PDF structural limitations



```
0 q 0 G
0 q 0 G
0 q 0 G
0 q 0 G
BT
/F15 17.2154 Tf 149.798 664.286 Td [(Separating)-302(in)26(termediate)-30
te)-302(logics)-302(of)]Tj -18.309 -21.918 Td [(w)26(e)1]-Founded)-302(anc
lly)-302(w)26(e)1]-Founded)-302(structures)]Tj 90.847 -21.918 Td [(b)26(y)
dic)-302(sen)27(tences)]Tj/F16 11.9552 Tf -32.436 -28.892 Td [(Arnold)-32
kmann)]Tj/F23 7.9701 Tf 92.503 4.339 Td [(\\003)]Tj/F16 11.9552 Tf 33.712
[(Norb)-27(ert)-326(Preining)]Tj/F23 7.9701 Tf 87.3 4.339 Td [(y)]Tj
0 q 0 G
0 q 0 G
0 q 0 G
/F38 8.9664 Tf -127.051 -49.748 Td [(Abstract)]Tj
0 q 0 G
0 q 0 G
/F37 8.9664 Tf -112.832 -15.197 Td [(w)86(a)-258(consider)-257(in)29(tern
58(predicate)-257(logics)-257(de)014ned)-258(b)29(y)-258(\\014ned)-257(w)2
ered)]Tj -13.823 -10.959 Td [(\\050or)-244(dually)-243(w)28(e)1]-ordered\\05
near)-244(Kripk)28(e)-243(frames)-244(with)-244(constan)29(t)-244(domain
re)]Tj 0 -10.959 Td [(the)-481(order-t)29(yp)-29(e)-481(of)-481(the)-481(
order)-481(is)-481(strictly)-481(smaller)-481(than)]Tj/F39 8.9664 Tf 235.
(1)]Tj/F21 5.9776 Tf 6.055 3.809 Td [(1)]Tj/F37 8.9664 Tf 5.374 -3.809 Td
(w)85(e)-481(sho)29(w)]Tj -246.639 -10.959 Td [(that)-357(t)29(w)28(o)-35
h)-357(logics)-357(of)-357(di)013eren)28(t)-357(order-t)29(yp)-29(e)-357(
se)1(parated)-357(b)28(y)-357(a)-357(\\014rst-order)]Tj 0 -10.959 Td [(sen
)-416(using)-415(only)-416(o)1(ne)-416(monadic)-415(predicate)-415(sy)-10
8(o)1)-676(Previous)-415(results)-416(b)29(y)]Tj 0 -10.959 Td [(Minar)1-
pk)37(ano)-300(amd)-300(ano)1)-309(as)-300(w)29(e)11)-301(as)-300(the)-300(
90(author)1)-309(obtained)-300(the)-300(same)]Tj 0 -10.959 Td [(separatio
)-324(re)1ied)-324(on)-324(the)-324(use)-324(of)-324(predicate)-324(sym)28
s)-324(of)-325(un)29(b)-29(ounde)1(d)-325(ari)29(y)86(.)]Tj/F45 14.3462
7 -32.873 Td [(1)-1125(in)31(tro)-31(duction)]Tj/F8 9.9626 Tf 0 -21.821 Td
)-390(are)-390(at)-389(le)-1(ast)-389(three)-390(go)-28(o)-28(d)-390(r)1(
s)-389(for)-390(studying)-390(predicate)-390(logics)-390(d)1(e)-1(\\014)0
b)28(y)]Tj 0 -11.955 Td [(1linear)-337(Kripk)28(e)-337(frames)-337(with)-3
:]
```

```
0 g 0 G
0 g 0 G
0 g 0 G
0 g 0 G
BT
/F15 17.2154 Tf 149.798 664.286 Td [(Separating)-302(in)26(termediate)-302(
te)-302(logics)-302(of)]Tj -18.309 -21.918 Td [(w)26(e)1]-Founded)-302(
lly)-302(w)26(e)1)-Founded)-302(structures)]Tj 90.847 -21.918 Td [(b)26(s)
dic)-302(sen)27(tences)]Tj/F16 11.9552 Tf -32.436 -28.892 Td [(Arnold)-32
kmann)]Tj/F23 7.9701 Tf 92.503 4.339 Td [(\\003)]Tj/F16 11.9552 Tf 33.712
[(\\Norb)-27(ert)-326(Preining)]Tj/F23 7.9701 Tf 87.3 4.339 Td [(y)]Tj
0 g 0 G
0 g 0 G
/F38 8.9664 Tf -127.051 -49.748 Td [(Abstract)]Tj
0 g 0 G
0 g 0 G
/F37 8.9664 Tf -112.832 -15.197 Td [(w)86(a)-258(consider)-257(in)28(tern
58(predicate)-257(logics)-257(de)014ned)-258(b)29(y)-258(\\014ned)-257(w)2
ered)]Tj -13.823 -10.959 Td [(\\050or)-244(dually)-243(w)28(e)1]-ordered\\05
near)-244(Kripk)28(e)-243(frames)-244(with)-244(constan)29(t)-244(domains
re)]Tj 0 -10.959 Td [(the)-481(order-t)29(y)-29(e)-481(of)-481(the)-481(
order)-481(is)-481(strictly)-481(smaller)-481(than)]Tj/F39 8.9664 Tf 235.
(1)]Tj/F21 5.9776 Tf 6.055 3.809 Td [(1)]Tj/F37 8.9664 Tf 5.374 -3.809 Td
[(w)85(e)-481(sho)29(w)]Tj -246.639 -10.959 Td [(that)-357(t)29(w)28(o)-35
h)-357(logics)-357(of)-357(d)\\013eren)28(t)-357(order-t)29(y)-29(e)-357(
se)1(parated)-357(b)28(y)-357(a)-357(\\014rst-order)]Tj 0 -10.959 Td [(sen
)-416(using)-415(only)-416(o)1(ne)-416(monadi)c)-415(predicate)-415(sy)-10
8(o)1)-676(Previous)-415(results)-416(b)29(y)]Tj 0 -10.959 Td [(Minari)-3
pk)57(ano)-300(amd)-300(ono)-309(as)-300(w)29(e)1)-301(as)-300(the)-300(
90(author)-309(obtained)-300(the)-300(same)]Tj 0 -10.959 Td [(separati
)-324(re)lied)-324(on)-324(the)-324(use)-324(of)-324(predicate)-324(sym)28
s)-324(of)-325(un)29(b)-29(ounde)1(d)-325(ari)t)29(y)86(\\)]Tj/F45 14.3462
7 -32.873 Td [(1)-1125(in)31(tro)-31(duction)]Tj/F8 9.9626 Tf 0 -21.821 Td
)-390(are)-390(at)-389(le)-1(ast)-389(three)-390(go)-28(o)-28(d)-390(r)1(
)-389(for)-390(studying)-390(predicate)-390(logics)-390(d)1(e)-1(\\014)1(
b)28(y)]Tj 0 -11.955 Td [(1linear)-337(Kripk)28(e)-337(frames)-337(with)-3
:
```

- ▶ original structure is lost – here title of the pdf
- ▶ section headings, captions etc are all typographic elements without structural markup
- ▶ “Tagged PDF” introduced by Adobe aims at improving the situation
- ▶ most documents are not tagged
- ▶ poor support for tagged PDF generation – improvements on the \LaTeX kernel side ongoing

- ▶ accessibility: responsive design, dark mode, built-in language translations, add-ins for e.g. dyslexia or visually impaired, ...
- ▶ preserves structure and intent of the document
- ▶ rich “marketplace” of assistive technologies
- ▶ search engines work better with HTML content
- ▶ Text harvesting is easier (arXiv corpus for LLM)

- ▶ accessibility: responsive design, dark mode, built-in language translations, add-ins for e.g. dyslexia or visually impaired, ...
- ▶ preserves structure and intent of the document
- ▶ rich “marketplace” of assistive technologies
- ▶ search engines work better with HTML content
- ▶ Text harvesting is easier (arXiv corpus for LLM)

But ...

- ▶ Online scientific work mostly available only in PDF format
- ▶ Converting PDF content to HTML is challenging, in spite of some interesting work allen.ai has done in this area ([Paper to HTML | Allen Institute for AI](#)) – because structure, once lost, is difficult to reconstruct

Current status

90% of arXiv's papers have been submitted in $T_{\text{E}}X$ (lately almost all \LaTeX) format

Problems writing a \LaTeX to HTML converter

- ▶ $T_{\text{E}}X$ compiler itself produces typographic information, all structure is lost
- ▶ not actual $T_{\text{E}}X$ compilers, but reinterpreting the \LaTeX code, which has good markup (but all kind of hacks by authors)
- ▶ includes its own interpretation of the directives – simple cases: map `\section` to `<h1>`
- ▶ only executes a subset of the $T_{\text{E}}X$ language – most \LaTeX packages/commands need to be “special cased”
- ▶ huge amount of add-on packages very commonly used

Currently available (partial) solutions



[L^AT_EXML](#)

maintained by Bruce Miller and Deyan Ginev at NIST (National Institute of Standards and Technology)

[T_EX4ht](#)

created by Eitan M. Gurari, now maintained by Michal Hoftich

[L^AT_EX support for tagged PDF](#)

L^AT_EX core team, early stage

- ▶ <https://ar5iv.labs.arxiv.org>
- ▶ Project started by Dr. Michael Kohlhase from KWARC, and Ph.D. student Deyan Ginev
- ▶ Intent was to offer HTML versions for arXiv's entire LaTeX corpus, using \LaTeX ML
- ▶ About 20% failed conversion, others visual glitches – permanent improvements!
- ▶ Reconversion of old articles to remove glitches is costly
Avg \$0.015 per article on Google Cloud \approx \$30,000 for the entire arXiv corpus

- ▶ long tail of less common packages to be supported
- ▶ huge problem: author written macros and extensions
- ▶ missing popular packages like <https://tikz.dev/>
- ▶ edge cases in some \LaTeX constructs don't render quite right
- ▶ same failure rate as ar5iv

- ▶ long tail of less common packages to be supported
- ▶ huge problem: author written macros and extensions
- ▶ missing popular packages like <https://tikz.dev/>
- ▶ edge cases in some \LaTeX constructs don't render quite right
- ▶ same failure rate as ar5iv

However, that's far better than nothing:

- ▶ papers with small glitches are still generally readable
- ▶ **Especially for screen readers**
- ▶ Something is better than nothing!

- ▶ **already available**
- ▶ ar5iv did great work but less known – bring it in-house
- ▶ submission process creates an HTML version of the paper, alongside the PDF
- ▶ Submitters are asked to review the HTML version
- ▶ Submission will **not** be blocked if the HTML generation fails (unlike the PDF)
- ▶ We are hoping that authors will review the HTML rendering and consider making adjustments to their LaTeX source to improve the HTML version
- ▶ With millions of users performing QA on our HTML, we feel we can improve the conversion process in the future (already thousands of reports!)

**Mathematics > Logic***[Submitted on 30 Mar 2024]***On P=NP Either False or Independent of ZFC**

S Gill Williamson

Our main result, Theorem 3.3, uses Friedman's Jump Free Theorem, Theorem 2.7, which he has shown to be independent of ZFC, the usual axioms of set theory. We conjecture that Theorem 3.3, a straight forward translation of the statement of Theorem 2.7 into sets and functions, is also independent of ZFC as is its immediate Corollary 3.4. It is easy to show that a proof that P=NP will also prove Corollary 3.4. If Corollary 3.4 is in fact independent of ZFC then a ZFC proof of P=NP is impossible, perhaps because it is false.

Comments: 4 pages

Subjects: **Logic (math.LO)**; Combinatorics (math.CO)

MSC classes: 0368

Cite as: arXiv:2404.00468 [math.LO]

(or arXiv:2404.00468v1 [math.LO] for this version)

<https://doi.org/10.48550/arXiv.2404.00468> **Submission history**From: Stanley Williamson [[view email](#)]

[v1] Sat, 30 Mar 2024 20:23:40 UTC (56 KB)

Access Paper:

- [View PDF](#)
- [HTML \(experimental\)](#)
- [TeX Source](#)
- [Other Formats](#)

[view license](#)

Current browse context:

math.LO

< prev | next >

[new](#) | [recent](#) | [2404](#)

Change to browse by:

[math](#)
[math.CO](#)**References & Citations**

- [NASA ADS](#)
- [Google Scholar](#)
- [Semantic Scholar](#)

Export BibTeX Citation

Bookmark



UI/UX (cont)



Sample HTML paper

Note the “Beta” label

Note that at present
we’re only showing new
submissions as HTML

We plan to backfill the
historical corpus over
time – in the meantime
ar5iv.org is still
there (for a while ...)

The screenshot shows the top navigation bar of an arXiv page. On the left, a red 'BETA' label is visible. The navigation menu includes 'arXiv', a message about experimental HTML, 'Why HTML?', 'Report Issue', 'Back to Abstract', and 'Download PDF'. A table of contents on the left lists: 1 Introduction, 2 Basic definitions and theorems, and 3 Subset sum instances and the Jump Free Theorem. A warning box states: 'HTML conversions sometimes display errors due to content that did not convert correctly from the source. This paper uses the following packages that are not yet supported by the HTML conversion tool. Feedback on these issues are not necessary; they are known and are being worked on. • failed: inconsolata. Authors: achieve the best HTML results from your LaTeX submissions by following these best practices.' Below the warning, the license 'License: CC BY 4.0' and the identifier 'arXiv:2404.00468v1 [math.LO] 30 Mar 2024' are shown. The title 'On P=NP either false or independent of ZFC' and author 'S. Gill Williamson' are centered. The 'Abstract.' section begins with 'Our main result, Theorem 3.3, uses Friedman's Jump Free Theorem, Theorem 2.7, which he has shown to be independent of ZFC, and the result of our previous paper [Gill2024] which shows that the complexity of the problem of ...'

Formulas and tables are supported, graphics are taken over as is

Supports dark mode

Prominent “Report Issue” button

Definition 3.1.
(Partitions of N) Let $S \subseteq T(k)$ be a full and jump free family of functions. For a function $f \in S$ and $x \in E^k \subseteq \text{domain}(f)$, $f(x)$ is in one of three intervals that form a partition of N : $I_0^k = [0, \min(E))$, $I_1^k = [\min(E), \min(x))$, $I_2^k = [\min(x), \infty)$.

Note that for $x \in E^k$, $f(x) \notin [\min(E), \min(x))$ if f is *regressively regular* over E^k . In general, we define sets of integers in Z as follows.

Let $\Gamma = \{\gamma \mid \gamma : N \rightarrow Z\}$ denote bijections from N to Z . Let $\gamma X = \{\gamma(x) \mid x \in X\}$, $\gamma \text{ [red box]} = \text{[red box]}$. Let $\hat{f} = f \upharpoonright E^k$ be f restricted to E^k . Note that

$$\text{image}(\hat{f}) \cap I_i^k = \{\hat{f}(x) \mid x \in I_i^k\}, i = 0, 1, 2.$$

We prefer the former notation for what follows.

Definition 3.2.
Define subsets of Z as follows : For $\gamma_0, \gamma_1, \gamma_2$ in Γ , $f \in S$, $E^k \subseteq \text{domain}(f)$, $|E| = p$, $\hat{f} = f \upharpoonright E^k$. Define

$$F(\hat{f}) = \gamma_0(\text{image}(\hat{f}) \cap I_0^k) \cup \gamma_1(\text{image}(\hat{f}) \cap I_1^k) \cup \gamma_2(\text{image}(\hat{f}) \cap I_2^k)$$

and

$$H(\hat{f}) = \gamma_0(\text{image}(\hat{f}) \cap I_0^k) \cup \gamma_2(\text{image}(\hat{f}) \cap I_2^k).$$

Theorem 3.3.

[Report Issue](#)

- ▶ Continue to work with the \LaTeX XML team to improve conversion process
- ▶ Figure out a cost-effective way to periodically re-compile the whole corpus to pick up these improvements
- ▶ Revisit tooling in a few years when the \LaTeX team is further along – we are hopeful that the work to produce tagged PDFs will also enable the generation of HTML output
- ▶ Make charts and graphs more accessible
- ▶ Possibly by providing a way for users to access the data behind the graph
- ▶ Auto-caption images and graphs? Presently a challenging AI problem – crowd-sourcing may be a better solution

- ▶ Accessibility for scientific documents is an important improvement
- ▶ Feedback from the community and disabled scientists is overwhelmingly positive – even HTML with glitches is better than PDF!
- ▶ We are still far from “the last mile”, but thanks to a great community and open source support we are making great progress
- ▶ arXiv Accessibility Forum 2024
<https://accessibility2024.arxiv.org/>

We thank the many scientists with disabilities who so generously shared their expertise, insights, and feedback, and guided arXiv's efforts towards impact.

This material is based upon work supported by the National Science Foundation under Award No. OAC-2311521. Any opinions, findings and conclusions or recommendations expressed in this material are those of the author(s) and do not necessarily reflect the views of the National Science Foundation.

Big thanks to the whole arXiv team – I have only recently joined and am reporting on **their** achievements!

Contact: norbert@arxiv.org